

# MADISOUND SPEAKER COMPONENTS

Audiophile Price List — February 2009

Central Time Hours: 9:00 a.m. to 5:00 p.m. Monday - Friday; Online Shopping — always open!

Madisound Air Core Inductors					
mH	Size	Wire gauge	DCR $\Omega$	Power Watts	Cost
.10	SB/MB	20/19	.1 / .1	100	<b>\$3.40</b>
.15	SB/MB	20/19	.1 / .1	100	<b>3.50</b>
.20	SB/MB	20/19	.2 / .17	100	<b>3.60</b>
.22	MB	19	.18	100	<b>3.65</b>
.25	SB/MB	20/19	.31 / .2	100	<b>3.80</b>
.30	SB/MB	20/19	.34 / .3	100	<b>3.90</b>
.33	MB	19	.3	100	<b>3.90</b>
.35	SB/MB	20/19	.38 / .3	100	<b>4.00</b>
.40	SB/MB	20/19	.4 / .3	100	<b>4.00</b>
.45	SB/MB	20/19	.43 / .3	100	<b>4.10</b>
.47	MB	19	.34	100	<b>4.15</b>
.50	SB/MB	20/19	.44 / .35	100	<b>4.30</b>
.55	MB	19	.37	100	<b>4.50</b>
.56	SB	20	.48	100	<b>4.50</b>
.60	SB/MB	20/19	.5 / .37	100	<b>4.80</b>
.67	SB/MB	20/19	.53 / .4	100	<b>4.90</b>
.70	MB	19	.41	100	<b>4.95</b>
.75	MB	19	.43	100	<b>5.05</b>
.80	SB/MB	22/19	.88 / .45	100	<b>5.15</b>
.85	MB	19	.48	100	<b>5.25</b>
.90	MB	19	.5	100	<b>5.30</b>
1.00	MB	19	.5	150	<b>5.50</b>
1.25	MB	19	.7	150	<b>5.80</b>
1.50	MB	19	.75	150	<b>6.20</b>
1.75	LB	19	.8	150	<b>7.40</b>
1.80	MB	19	.82	150	<b>7.60</b>
2.00	LB	19	.9	150	<b>8.20</b>
2.25	LB	19	.95	150	<b>8.50</b>
2.50	LB	19	1.0	150	<b>8.95</b>
2.75	LB	19	1.05	150	<b>9.30</b>
3.00	LB	19	1.1	150	<b>9.70</b>
3.50	LB	19	1.2	150	<b>10.30</b>
4.00	LB	19	1.3	150	<b>10.90</b>



Madisound Iron Core Inductors					
mH	Size	Wire gauge	DCR $\Omega$	Power Watts	Cost
4.5	LB	18	.75	250	<b>\$10.75</b>
5.0	LB	18	.80	250	<b>11.00</b>
6.0	LB	18	1.0	250	<b>12.10</b>
7.0	LB	18	1.2	250	<b>13.40</b>
8.0	LB	18	1.4	250	<b>14.10</b>
10.0	LB	18	1.4	250	<b>16.15</b>
12.0	XLB	18	1.1	250	<b>18.75</b>
15.0	XLB	18	1.3	250	<b>19.80</b>
18.0	XLB	18	1.5	250	<b>20.80</b>

†SB bobbin 38mm  $\varnothing$  x 20mm tall; MB bobbin 48mm  $\varnothing$  x 23mm tall  
LB bobbin 59mm  $\varnothing$  x 32mm tall; XLB bobbin 54mm  $\varnothing$  x 55mm tall


Surplus Capacitors		
2.0 mfd	Mylar, 10%, 200V, green	<b>.35</b>
2.7 mfd	Panasonic mylar, 10%, 250V long leads	<b>.30</b>
2.7 mfd	Richey mylar, 250V, Dipped, Red	<b>.30</b>
5.0 mfd	GE Polyprop. . 400V, 10%, axial	<b>.75</b>
10.0 mfd	TYEE Polyprop. 100V, 30 x 27 x 18mm	<b>.90</b>

Wire-Wound Sand Cast Resistors	
15 Watt 12.5mm T x 12mm W x 46.5mm L	
25 Watt 13mm T x 14.5mm W x 60mm L	
1, 1.5, 2.2, 5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 9, 10, 14, 23 $\Omega$ 15 W 10%	<b>\$.45 each</b>
2.2, 2.7, 3.3, 3.9, 4.7, 5.6, 6.8, 8.2, 10, 12, 15, 20, 25 $\Omega$ 25 Watt 10%	<b>.65 each</b>

Eagle - Metal Oxide Film Non-Inductive Resistors	
5%, 10Watt, 8.5mm $\varnothing$ x 32mm L, 33mm leads	
1.5, 2.2, 2.5, 2.7, 3, 3.3, 3.5, 4.7, 5, 5.6, 6.6, 8, 7, 9, 10, 12, 14, 15, 16, 20, 30, 50 $\Omega$	<b>\$1.20 each</b>



Circuit Boards for Crossovers, Soldered Lugs, Glass Epoxy			
12 dB 2-way (64B)	<b>\$7.00</b>	12 dB 3-way (92B)	<b>\$9.00</b>
18 dB 2-way (BFB)	<b>8.90</b>	Matrix Double	<b>14.00</b>
Matrix	<b>7.00</b>		



Autosound Steel Grills with Mounting Rings					
4.5"	<b>\$3.50</b>	6.5"	<b>\$5.00</b>	10"	<b>\$7.00</b>
5.25"	<b>4.00</b>	8"	<b>6.00</b>	12"	<b>10.00</b>



**MADISOUND SPEAKER COMPONENTS, INC.**  
8608 UNIVERSITY GREEN  
P.O. BOX 44283  
MADISON, WI 53744-4283 U.S.A.  
TEL: 608-831-3433 FAX: 608-831-3771  
e-mail: info@madisound.com  
Web Page: http://www.madisound.com