




Loudspeaker Enclosure Analysis Program
Ver 4.60, (C)1994 LinearX Systems Inc

Jan 22, 2015
Thu 3:36PM

DGL Library:
SEAS-18 .DGL

- DGL Entry:20, Name:29NRX75-6
- DGL Entry:10, Name:H1262 T2D SPLD SEALED
- DGL Entry:1, Name:SB29RDC-C000-4 UZD SPLD '11

Graph 1 > Acoustic On Axis Response: SPL, Phase






Loudspeaker Enclosure Analysis Program
Ver 4.60, (C)1994 LinearX Systems Inc

Jan 22, 2015
Thu 3:36PM
DGL Library:
SEAS-18 .DGL

- DGL Entry:20, Name:29NRX75-6
- DGL Entry:10, Name:H1262 TZD SPLD SEALED
- DGL Entry:1, Name:SB29RDC-C000-4 VZD SPLD '11

94 dB Graph 11 > System Acoustic On Axis Response:SPL,Phase







Loudspeaker Enclosure Analysis Program
Ver 4.60, (C)1994 LinearX Systems Inc

Jan 22 2015
Thu 3:36PM
DGL Library:
SEAS-18 .DGL

- DGL Entry:20, Name:29NRX75-6
- DGL Entry:10, Name:H1262 T2D SPLD SEALED
- DGL Entry: 1, Name:SB29RDC-C000-4 UZD SPLD '11

Ohms Graph 14 > System Input Impedance: Magnitude, Phase





29NRX75-6
1.8FT3
3" dia.
10" long

H 1262

29RDC-C/4

1/2 SPACE