Loudspeaker Enclosure Analysis Program | Jan 8,2014 | DGL Library:
Ver 4.60, (C)1994 LinearX Systems Inc | Wed 6:10PM | SEAS-6 .DGL

─── DGL Entry:20, Name:W22NY-001 T2D SPLD

······ DGL Entry: 7, Name:H1499 U2D SPLD

Graph 1 > Acoustic On Axis Response: SPL, Phase

dB

94

88

81

75

69

63

56

50

44

20   Frequency 100   500   1K   Hz   5K   10K   20K

LEAP

— DGL Entry:20, Name:U22NY-001 T2D SPLD

..... DGL Entry: 7, Name:H1499 U2D SPLD

Graph 11 > System Acoustic On Axis Response:SPL,Phase

dB

94
88
81
75
69
63
56
50
44

20   100   500   1K   Hz   5K   10K   20K

Frequency

LEAP

14

Loudspeaker Enclosure Analysis Program | Jan 8,2014 | DGL Library:
Ver 4.60, (C)1994 LinearX Systems Inc | Wed 6:10PM | SEAS-6 .DGL

— DGL Entry:20, Name:U22NY-001 T2D SPLD
···· DGL Entry: 7, Name:H1499 UZD SPLD

Graph 14 > System Input Impedance: Magnitude, Phase

— DGL Entry:20, Name:U22NY-001 T2D SPLD

...... DGL Entry: 7, Name:H1499 UZD SPLD

Graph 11 > System Acoustic On Axis Response:SPL,Phase

dB

94

88

81

75

69

63

56

50

44

20   Frequency 100   500   1K   Hz   5K   10K   20K

LEAP

3.3

5.6

3.0

12×2
25w

6

1.2

1

15

.3
20ga.

+

4
15w

47

+

W22NY-001
1.5FT3
3"dia.
5-3/4"long

H 1499

Measured in
Ap ™

Modeled in
LEAP ™